

Laboratory developed test.

## **Laboratory Service Report**

1	<b>1-8</b>	n	)-5	33	1-1	71	0
	-0	v	<i>)</i> – u	-	,		v

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,LCBKP	SA00064810	39	F	SA00064810	
Ordering Phys CLIENT,CLIENT					
Client Order # SA00064810	Account Information	Account Information			
<b>Collected</b> 12/09/2013 13:30	SDSC 2 - Client Suppo	C7028846-DLMP Rochester SDSC 2 - Client Support			
Printed 12/19/2013 09:27	Rochester, MN 55901	Rochester, MN 55901			

Test Flag Results Unit Reference Value Site\*

BK Virus DNA by PCR, P

RECEIVED: 12/10/2013 13:11 REPORTED: 12/10/2013 13:12

BK Virus PCR, P Negative Negative Negative

\* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,LCBKP	12/09/2013 13:30	Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT