

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORT,SAM	Patient ID SA00064762	Age 47	Gender F	Order # SA00064762	
Ordering Phys CLIENT,CLIENT		•	•	DOB 06/10/1966	
Client Order # SA00064762	Account Information			Report Notes	
Collected 12/03/2013 00:00	SDSC 2 - Client Suppo	C7028846-DLMP Rochester SDSC 2 - Client Support			
Printed 12/04/2013 14:07	Rochester, MN 55901				

Test Flag Results Unit Reference Value Site*

E. Histolytica Ab, S AB Positive Negative SDL

RECEIVED: 12/04/2013 13:50 **REPORTED:** 12/04/2013 13:55

Results are suggestive of current or past infection with Entamoeba histolytica. Direct detection of E. histolytica in stool or other specimen sources is recommended to diagnose acute amebiasis.

Serologic results are an aid for diagnosis of amebiasis. Serologic results alone should not be considered as diagnostic for Entamoeba histolytica infection.

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,SAM	12/03/2013 00:00	Final
Page 1 of 1		** End of Report **