



Laboratory Service Report

1-800-533-1710

| | | | | |
|--|---|------------------|--------------------|------------------------------|
| Patient Name REPORTTESTING,TGMS NORMAL | Patient ID SA00065034 | Age 50 | Gender F | Order # SA00065034 |
| Ordering Phys CLIENT,CLIENT | | | | DOB 01/01/1964 |
| Client Order # SA00065034 | Account Information | | | Report Notes |
| Collected 01/05/2014 00:00 | C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901 | | | |
| Printed 01/24/2014 14:27 | | | | |

| Test | Flag Results | Unit | Reference Value |
|--|--------------|-------|-----------------|
| Thyroglobulin, Mass Spec., S | <0.5 | ng/mL | |
| RECEIVED: 01/06/2014 14:18 REPORTED: 01/06/2014 14:20 | | | |
| -- REFERENCE VALUE -- | | | |
| Athyrotic <0.5, Intact thyroid <=33 | | | |
| Interpretation | | | |
| Thyroglobulin (Tg) levels must be interpreted in the context of TSH levels, serial Tg measurements and radioiodine ablation status. Undetectable Tg levels in athyrotic individuals on suppressive therapy indicate a minimal risk (<1-2%) of clinically detectable recurrent papillary/follicular thyroid cancer. | | | |
| PLEASE NOTE: Flagging is based on athyrotic individuals. | | | |
| The testing method is LC-MS/MS of an immunoaffinity purified tryptic digest of thyroglobulin. | | | |
| Laboratory Developed Test. | | | |
| Values obtained from different assay methods or kits may be different and cannot be used interchangeably. | | | |
| The results cannot be interpreted as absolute evidence for the presence or absence of malignant disease. | | | |

* Performing Site:

| | | |
|-----|---|---|
| MCR | Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905 | Lab Director: Franklin R. Cockerill, III, M.I |
|-----|---|---|

| Patient Name | Collection Date and Time | Report Status |
|---------------------------|--------------------------|------------------|
| REPORTTESTING,TGMS NORMAL | 01/05/2014 00:00 | Final |
| Page 1 of 1 | | ** End of Report |

* Report times for Mayo performed tests are CST/CDT