

Laboratory Service Report

1-800-533-1710

Negative

SDL

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,PHIV	SA00066733	47	F	SA00066733
Ordering Phys CLIENT,CLIENT				DOB 06/10/1966
Client Order # SA00066733	Account Information			Report Notes
Collected 04/06/2014 00:00	C7028846-DLMP Rochester SDSC 2 - Client Support			
Printed 04/09/2014 08:25	Rochester, MN 55901			

Positive

Reference Perform Unit Test Flag Results Value Site*

HIV-1 Proviral DNA, B AΒ **RECEIVED:** 04/07/2014 13:04 **REPORTED:** 04/07/2014 15:36

According to CDC and USPHS recommendations, a positive $\,$ result in a second specimen is necessary to confirm the diagnosis of HIV-1 infection.

Testing was done by PCR method using the Amplicor HIV-1 DNA Test.

* Performing Site:

Mayo Clinic Laboratories - Rochester Superior Drive SDL Lab Director: Franklin R. Cockerill, III, M.D. 3050 Superior Dr. NW Rochester, MN 55901

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,PHIV	04/06/2014 00:00	Final
Page 1 of 1	** Reprinted **	** End of Report **