MAYO CLINIC
Mayo Medical Laboratories

Laboratory Service Report 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,INHAB	SA00066739	47	F	SA00066739
Ordering Phys CLIENT,CLIENT				**DOB** 06/10/1966
Client Order # SA00066739	**Account Information**			**Report Notes**
Collected 04/06/2014 00:00	C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901			
Printed 04/09/2014 08:39				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Inhibin A and B, Tumor Marker, S					
RECEIVED: 04/07/2014 13:07 **REPORTED:** 04/07/2014 15:42					
Inhibin A, Tumor Marker, S		74	pg/mL		SDL
-- REFERENCE VALUE --					
<97.5 (Premenopausal)					
<2.1 (Postmenopausal)					
The testing method is an immunoenzymatic assay manufactured by Beckman Coulter Inc. and performed on the UniCel DxI 800.					
Values obtained with different assay methods or kits may be different and cannot be used interchangeably.					
Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.					
Inhibin A values are not interpretable in pregnant females for the investigation of malignant disease.					
Inhibin B, S		70	pg/mL		MCR
-- REFERENCE VALUE --					
<139 (Premenopausal, Follicular)					
<92 (Premenopausal, Luteal)					
<10 (Postmenopausal)					
The testing method is a manual immunoenzymatic assay manufactured by Beckman Coulter Inc. Values obtained with different assay methods or kits may be different and cannot be used interchangeably. If this test is being ordered as a tumor marker, results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.					

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.
MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.

* Report times for Mayo performed tests are CST/CDT