MAYO CLINIC
Mayo Medical Laboratories

Laboratory Service Report 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,FIGER N	SA00067280	47	F	SA00067280
Ordering Phys CLIENT,CLIENT				**DOB** 06/10/1966
Client Order # SA00067280	**Account Information**			**Report Notes**
Collected 05/01/2014 08:00	C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901			
Printed 05/02/2014 10:06				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Anti-IgE Receptor Ab					
IgE Receptor Ab		3.1	%	0.0 - 5.0	Y081

In the presence of antibody to the FceR1, basophils degranulate resulting in the increased expression of a specific basophil marker. The expression of this marker is determined after incubation of susceptible donor basophils with serum from the patient.

This test uses a kit/reagent designated by the manufacturer as "for research use, not for clinical use" as well as a reagent that is classified as an analyte specific reagent (ASR). The performance characteristics of this test have been validated by Advanced Diagnostic Laboratories at National Jewish Health. It has not been cleared or approved by the US Food and Drug Administration. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA-88)as qualified to perform high complexity clinical laboratory testing.

RECEIVED: 05/02/2014 10:03 **REPORTED:** 05/02/2014 10:04

* Performing Site:

Y081	National Jewish Health-Advanced Diagnostic Laboratories 1400 Jackson Street Denver, CO 80206-2761	Lab Director: