

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,CBPA	SA00067350	47	F	SA00067350	
Ordering Phys CLIENT,CLIENT		·		DOB 06/10/1966	
Client Order # SA00067350	Account Information	Account Information		Report Notes	
Collected 05/06/2014 00:00	SDSC 2 - Client Supp	C7028846-DLMP Rochester SDSC 2 - Client Support			
Printed 05/07/2014 08:27	Rochester, MN 55901				

Reference Perform
Test Flag Results Unit Value Site*

Cell Bound Platelet Autoantibody, B Positive

ive Not Applicable MCR

MCR

Antibody reacts with glycoprotein $\ensuremath{\mathsf{IIb}}/\ensuremath{\mathsf{IIIa}}.$ Comment

Performing Laboratory CLIA# 24D0404292

Method: Elisa Based Assay

RECEIVED: 05/07/2014 08:11 **REPORTED:** 05/07/2014 08:11

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,CBPA	05/06/2014 00:00	Final
Page 1 of 1		** End of Report **