

Patient ID SA00069756	Patient Name SAMPLEREPORT, SCLAM A	Birth Date 1964-06-05	Gender M	Age 50	
Order Number SA00069756	Client Order Number SA00069756	Ordering Physician Client, Client	Report Notes		
Account Information C7028846 DLMP Rochester		Collected 22 Aug 2014 12:48			

Chlamydia Serology, S

C. pneumoniae IgG



1:512 titer

Abn

SDL
Reference Value
<1:64

C. trachomatis IgM

<1:10 titer

SDL
Reference Value
<1:10

C. pneumoniae IgM



≥1:160 titer

Abn

Results suggest recent infection.

SDL
Reference Value
<1:10

C. psittaci IgG

<1:64 titer

SDL
Reference Value
<1:64

C. psittaci IgM

<1:10 titer

1 SDL
Reference Value
<1:10

C. trachomatis IgG

<1:64 titer

SDL
Reference Value
<1:64

Received: 22 Aug 2014 12:51

Reported: 22 Aug 2014 12:51

Laboratory Notes

- 1 Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901