

Laboratory Service Report

1-800-533-1710

Patient Name TESTING,82477	Patient ID	Age	Gender	Order # W2988320	
Ordering Phys		DOB			
Client Order # W2988320	Account Information C7999998-STUSTEST	Report N	Report Notes		
Collected 10/21/2009 06:00	200 FIRST STREET SW ROCHESTER, MN 55901				
Printed 10/21/2009 09:07	(507)266-5730				

| Reference | Perform | Value | Site* | Regolant, IgE | Co.35 | Results | Reference | Value | Site* | Reported | 10/21/2009 | 08:59 | Regolant | SDL | SDL | Regolant | SDL | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Reported | 10/21/2009 | 08:59 | Regolant | Results | Results

Class 0 (Negative <0.35)
Analyte Specific Reagent
This test was developed and its performance characteristics
determined by Laboratory Medicine and Pathology, Mayo
Clinic. This test has not been cleared or
approved by the U.S. Food and Drug Administration.

* Performing Site:

SDL	Mayo Clinic Dpt of Lab Med & Pathology Superior Dr 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.
-----	--	--

Patient Name	Collection Date and Time	Report Status
TESTING,82477	10/21/2009 06:00	Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT