

Patient Name TESTING,90192	Patient ID	Age	Gender	Order # W2968825
Ordering Phys		DOB		
Client Order # W2968825	Account Information C7999998-STUSTEST	Report Notes		
Collected 10/19/2009 06:00	200 FIRST STREET SW ROCHESTER, MN 55901			
Printed 10/20/2009 09:16	(507)266-5730			

Test	Flag	Results	Unit	Reference Value	Perform Site*
PM-Scl Antibody, ID		NEGATIVE			REPORTED 10/20/2009 09:10
		REFERENCE RANGE: NEGATIVE			
		INTERPRETIVE CRITERIA:			
		Negative: Antibody not detected			
		Positive: Antibody detected			
		PM-Scl antibody is detected in over 90% of patients with polymyositis (PM) and scleroderma (Scl) overlap syndrome, but only in about 8% of all myositis patients and only 3% of all scleroderma patients.			
		Test Performed by: Focus Diagnostics, Inc. 5785 Corporate Avenue Cypress, CA 90630-4750			
		Medical Director, Alfred Lui, MD			

Patient Name TESTING,90192	Collection Date and Time 10/19/2009 06:00	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT