

<b>Patient Name</b> TESTING,91629	<b>Patient ID</b>	<b>Age</b>	<b>Gender</b>	<b>Order #</b> W3051039
<b>Ordering Phys</b>		<b>DOB</b>		
<b>Client Order #</b> W3051039	<b>Account Information</b> C7999998-STUSTEST	<b>Report Notes</b>		
<b>Collected</b> 10/27/2009 13:37	200 FIRST STREET SW ROCHESTER, MN 55901			
<b>Printed</b> 10/27/2009 13:53	(507)266-5730			

Test	Flag	Results	Unit	Reference Value	Perform Site*
------	------	---------	------	-----------------	---------------

<b>Phagocytic Index</b>		5.5			
		REFERENCE RANGE: > or = 1.7			

REPORTED 10/27/2009 13:42

**INTERPRETIVE CRITERIA:**

<1.7 Impaired neutrophil phagocytic activity  
 > or = 1.7 Normal neutrophil phagocytic activity

This flow cytometric assay measures neutrophil-associated fluorescence after incubation of cells with fluorescent microspheres at both 4 degrees Centigrade and 37 degrees Centigrade. The index value represents the quotient of reactivity at 37 degrees Centigrade (adherence + phagocytosis) divided by reactivity at 4 degrees Centigrade (adherence only). A decreased phagocytic index is indicative of impaired phagocytic function, which is associated with repeated bacterial infections.

Test Performed by: Focus Diagnostics, Inc.  
 5785 Corporate Avenue  
 Cypress, CA 90630-4750

Medical Director, Alfred Lui, MD

<b>Patient Name</b> TESTING,91629	<b>Collection Date and Time</b> 10/27/2009 13:37	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT