

| | | | | |
|--------------------------------------|--|---------------------|---------------|----------------------------|
| Patient Name TESTING,82479 | Patient ID | Age | Gender | Order # W2988331 |
| Ordering Phys | | DOB | | |
| Client Order # W2988331 | Account Information C7999998-STUSTEST 200 FIRST STREET SW ROCHESTER, MN 55901 (507)266-5730 | Report Notes | | |
| Collected 10/21/2009 06:00 | | | | |
| Printed 10/21/2009 09:07 | | | | |

| Test | Flag | Results | Unit | Reference Value | Perform Site* |
|--|------|---------|------|---------------------------|---------------|
| Guar Gum, IgE | | <0.35 | kU/L | REPORTED 10/21/2009 08:59 | SDL |
| Class 0 (Negative <0.35) Analyte Specific Reagent This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. This test has not been cleared or approved by the U.S. Food and Drug Administration. | | | | | |

* Performing Site:

| | | |
|-----|--|--|
| SDL | Mayo Clinic Dpt of Lab Med & Pathology Superior Dr 3050 Superior Dr. NW Rochester, MN 55901 | Lab Director: Franklin R. Cockerill, III, M.D. |
|-----|--|--|

| | | |
|--------------------------------------|---|-------------------------------|
| Patient Name TESTING,82479 | Collection Date and Time 10/21/2009 06:00 | Report Status Final |
| Page 1 of 1 | | ** End of Report ** |

* Report times for Mayo performed tests are CST/CDT