

**CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF ACCREDITATION**

LABORATORY NAME AND ADDRESS
MAYO CLINIC LABS - ROCHESTER SUPERIOR
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901

CLIA ID NUMBER
24D1040592

EFFECTIVE DATE
10/04/2017

LABORATORY DIRECTOR
WILLIAM MORICE M.D.

EXPIRATION DATE
10/03/2019

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Karen W. Dyer

Karen W. Dyer, Acting Director
Division of Laboratory Services
Survey and Certification Group
Center for Clinical Standards and Quality

141 certs2_090517

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>
BACTERIOLOGY (110)	10/04/2005
MYCOLOGY (120)	10/04/2005
VIROLOGY (140)	10/04/2005
SYPHILIS SEROLOGY (210)	10/04/2005
GENERAL IMMUNOLOGY (220)	10/04/2005
ROUTINE CHEMISTRY (310)	10/04/2005
ENDOCRINOLOGY (330)	10/04/2005
TOXICOLOGY (340)	10/04/2005

LAB CERTIFICATION (CODE) EFFECTIVE DATE

FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.