



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

8/16/2010

Code Name

 88924 ALA Dehydratase, WB

**** End of Name to order code Report ****

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
88924	8/4/2010		ALA Dehydratase, WB			MCR
			Transport temp : Varies			
			Frozen\Refrig NO\Ambient NO - Washed Erythrocytes			
			Refrig <48 hrs\Frozen NO\Ambient NO - Whole blood			
		4021	ALA Dehydratase			
			Units: nmol/L/s			
			NO SEX			
			All Ages : 4.0-		; #N4021A	
			MALE			
			All Ages : 4.0-		; #N4021A	
			FEMALE			
			All Ages : 4.0-		; #N4021A	
		28399	Interpretation			

*Performing Site Legend

```

=====
==
MCR      Mayo Clinic Dpt of Lab Med & Pathology      LAB DIRECTOR:  Franklin R. Cockerill, III, M.D.
          200 First Street SW
          Rochester, MN 55905
=====
==

```

*** End of Report ***

MML

Messages used as normals

CODE	TEXT
N4021A	>= 4.0 3.5-3.9 (Indeterminate) <3.5 (Diminished)

Total of 1 normals codes

*** End of Report ***