



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

12/23/2010

Code Name

31046 von Willebrand Factor Multimer, P

**** End of Name to order code Report ****

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
31046	8/18/2009		von Willebrand Factor Multimer, P			MCR
			Transport temp : Frozen\Refrig NO\Ambient NO			
			31046 von Willebrand Factor Multimer, P			
			NO SEX			
			All Ages :		; Descriptive report	
			MALE			
			All Ages :		; Descriptive report	
			FEMALE			
			All Ages :		; Descriptive report	
			TEST CODE ALWAYS MESSAGE - [ZASR]			
			ZASR Analyte Specific Reagent			
			This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. This test has not been cleared or approved by the U.S. Food and Drug Administration.			

*Performing Site Legend

```

=====
==
MCR      Mayo Clinic Dpt of Lab Med & Pathology      LAB DIRECTOR:  Franklin R. Cockerill, III, M.D.
          200 First Street SW
          Rochester, MN 55905
=====
==

```

*** End of Report ***

MML

Messages used as normals

CODE

TEXT

Total of 0 normals codes

*** End of Report ***