



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

1/25/2011

Code Name

 91976 Egg White IgG4

**** End of Name to order code Report ****

MML MML Test setup information

| ORDER CODE | EFF DATE | TC | TITLE | Checking Normals | Print normals (# coded) | Perform Site * |
|------------|-----------|----|--|------------------|-------------------------|----------------|
| 91976 | 1/24/2011 | | Egg White IgG4 | | | |
| | | | Transport temp : Refrig 4 weeks\Ambient 1 week\Frozen 1 year | | | |
| | | | 91976 Egg White IgG4 | | | |
| | | | Units: mcg/mL | | | |
| | | | NO SEX | | | |
| | | | All Ages : 0.0-0.14 | | ; <0.15 | |
| | | | MALE | | | |
| | | | All Ages : 0.0-0.14 | | ; <0.15 | |
| | | | FEMALE | | | |
| | | | All Ages : 0.0-0.14 | | ; <0.15 | |
| | | | TEST CODE ALWAYS MESSAGE - [ZIGG4] | | | |
| | | | ZIGG4 The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG4 tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG4 alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. This test was developed and its characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. | | | |
| | | | Test Performed by: Viracor-IBT Laboratories | | | |
| | | | 11274 Renner Blvd. | | | |
| | | | Lenexa, KS 66219 | | | |

MML MML Test setup information

*Performing Site Legend

=====
==
=====
==

*** End of Report ***

MML Messages used as normals

CODE TEXT

Total of 0 normals codes

*** End of Report ***