

1-800-533-1710

| | | | | | | |
|--|-------------------------------------|---|-----------------------|---|------------------------------|--------------------------------|
| PATIENT NAME TESTING, 200246 | | PATIENT NUMBER L3MRNG9162967 | | AGE 45 | SEX M | ACCESSION # G9162967 |
| ORDERING PHYSICIAN | | | CLIENT ORDER # | | ACCOUNT # LIAISONS | |
| COLLECTION 01/12/11 09:38 A | RECEIVED 01/12/11 09:38 A | REPORT PRINTED 03/03/11 09:32 A | | SPECIMEN INFORMATION DATE OF BIRTH: | | |
| DATE TIME | DATE TIME | DATE TIME | | | | |
| Test Client Attn: Mayo Liaisons 200 First Street SW Rochester, MN 55905 507-284-8202 | | | | | | |

| TEST REQUESTED | HI | LO | REF RANGE | PERFORM SITE * |
|----------------|----|----|-----------|----------------|
|----------------|----|----|-----------|----------------|

| | | | | |
|------------------------------|-----|-------|-----------------------------------|-----|
| PSA Total and Free, S | | | REPORTED: 01/12/11 09:39 A | |
| Total PSA | 2.0 | ng/mL | <=2.5 | NEL |
| Free PSA | 1.0 | ng/mL | | NEL |
| Free PSA/PSA Ratio | | | | NEL |

Ratio not calculated because clinical usefulness is not defined except in the range of total PSA 4.0-10.0 ng/mL. The testing method is an electrochemiluminescence assay manufactured by Roche Diagnostics Inc. and performed on the Modular or Cobas system. Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

* PERFORMING SITE

| | | |
|-----|---|-------------------------------------|
| NEL | Mayo Medical Laboratories New England 160 Dascomb Road Andover, MA 01810 | Lab Director: Lynn A. Cheryk, Ph.D. |
|-----|---|-------------------------------------|

| | | |
|--|------------------------------|---|
| PATIENT NAME TESTING, 200246 | ORDER STATUS Final | COLLECTION DATE AND TIME 01/12/11 09:38 A |
|--|------------------------------|---|