



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

03/03/2011

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
800255(profile)			SSA/SSB			
800225	2/16/2011		SS-A/Ro Ab, IgG, S			MCF
			Transport temp : Refrig\Frozen OK\Ambient NO			
			800225 SS-A/Ro Ab, IgG, S			
			Units: U			
			NO SEX			
			All Ages : 0.0-0.9		; <1.0 (Negative)	
			MALE			
			All Ages : 0.0-0.9		; <1.0 (Negative)	
			FEMALE			
			All Ages : 0.0-0.9		; <1.0 (Negative)	
			- - - - -			
800227	2/16/2011		SS-B/La Ab, IgG, S			MCF
			Transport temp : Refrig\Frozen OK\Ambient NO			
			800227 SS-B/La Ab, IgG, S			
			Units: U			
			NO SEX			
			All Ages : 0.0-0.9		; <1.0 (Negative)	
			MALE			
			All Ages : 0.0-0.9		; <1.0 (Negative)	
			FEMALE			
			All Ages : 0.0-0.9		; <1.0 (Negative)	
			- - - - -			

MCF Mayo Clinic Jacksonville Clinical Lab
 4500 San Pablo Rd
 Jacksonville, FL 32224

LAB DIRECTOR: Gretchen Johns, M.D.

MML Messages used as normals

CODE TEXT

Total of 0 normals codes

*** End of Report **