



MAYO CLINIC
Mayo Medical Laboratories

TEST DEFINITION

3/10/2011

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PRINT NORMALS (# CODED)	PERFORM SITE *
81065	2/23/2011		C8 COMPLEMENT, FUNCTIONAL, S			MCR
			TRANSPORT TEMP : FROZEN <14 DAYS\AMBIENT NO\REFRIG NO			
		81065	C8 COMPLEMENT, FUNCTIONAL, S			
			UNITS: U/mL			
			NO SEX			
			ALL AGES : 33-58		; 33-58	
			MALE			
			ALL AGES : 33-58		; 33-58	
			FEMALE			
			ALL AGES : 33-58		; 33-58	
			TEST CODE ALWAYS MESSAGE - [ZASR]			
			ZASR ANALYTE SPECIFIC REAGENT			
			THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS			
			DETERMINED BY LABORATORY MEDICINE AND PATHOLOGY, MAYO			
			CLINIC. IT HAS NOT BEEN CLEARED OR			
			APPROVED BY THE U.S. FOOD AND DRUG ADMINISTRATION.			

*PERFORMING SITE LEGEND

```

=====
==
MCR      MAYO CLINIC DPT OF LAB MED & PATHOLOGY      LAB DIRECTOR:  FRANKLIN R. COCKERILL, III, M.D.
          200 FIRST STREET SW
          ROCHESTER, MN 55905
=====
==

```

*** END OF REPORT ***

CODE TEXT

TOTAL OF 0 NORMALS CODES

*** END OF REPORT ***

