



TEST DEFINITION

04/19/2011

MML Name/order code cross-reference
 Code Name

 9064 Osmotic Fragility, RBC

MML		MML Test setup information				Perform
ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Site *
-----	-----	-----	-----	-----	-----	-----
9064	3/18/2011		Osmotic Fragility, RBC			MCR
			Transport temp : Refrig\Ambient NO\Frozen NO			
			9064 Osmotic Fragility, RBC			
			- - - - -			
		3306	Osmotic Fragility, 0.50 g/dL NaCl			
			Units: % hemol			
			NO SEX			
			All Ages :		; #N3306B	
			MALE			
			All Ages : 0.0-47.8		; 0.0-47.8	
			FEMALE			
			All Ages : 0.0-31.1		; 0.0-31.1	
			- - - - -			
		3307	Osmotic Fragility, 0.60 g/dL NaCl			
			Units: % hemol			
			NO SEX			
			All Ages :		; #N3307B	
			MALE			
			All Ages : 18.7-67.4		; 18.7-67.4	
			FEMALE			
			All Ages : 10.9-65.5		; 10.9-65.5	
			- - - - -			
		3308	Osmotic Fragility, 0.65 g/dL NaCl			
			Units: % hemol			
			NO SEX			
			All Ages :		; #N3308B	
			MALE			
			All Ages : 4.4-36.6		; 4.4-36.6	

MML		MML Test setup information				Perform
ORDER	EFF	TC	TITLE	Checking Normals	Print normals (# coded)	Site *
CODE	DATE					
9064	(continued)					
		3308	Osmotic Fragility, 0.65 g/dL NaCl	(continued)		
			FEMALE			
			All Ages : 0.2-39.3		; 0.2-39.3	
		3309	Osmotic Fragility, 0.75 g/dL NaCl			
			Units: % hemol			
			NO SEX			
			All Ages :		; #N3309B	
			MALE			
			All Ages : 0.8-9.1		; 0.8-9.1	
			FEMALE			
			All Ages : 0.0-10.9		; 0.0-10.9	
		3310	Osmotic Fragility Comment			
		32340	Sex of Control Vial			

*Performing Site Legend

```

=====
MCR      Mayo Clinic Dpt of Lab Med & Pathology      LAB DIRECTOR:  Franklin R. Cockerill, III, M.D.
          200 First Street SW
          Rochester, MN 55905
=====

```

MML Messages used as normals

CODE	TEXT
N3306B	0.0-47.8 (Males) 0.0-31.1 (Females)
N3307B	18.7-67.4 (Males) 10.9-65.5 (Females)
N3308B	4.4-36.6 (Males) 0.2-39.3 (Females)
N3309B	0.8-9.1 (Males) 0.0-10.9 (Females)

Total of 4 normals codes

*** End of Report ***