



TEST DEFINITION

04/19/2011

MML Name/order code cross-reference
 Code Name

 91545 Myositis Ab 2 Panel

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
-----	-----	-----	-----	-----	-----	-----
91545	4/19/2011		Myositis Ab 2 Panel			
			UNIT CODE ALWAYS MESSAGE - [ZRDLR]			
			Test Performed by: RDL Reference Laboratory, Inc.			
				10755 Venice Blvd		
				Los Angeles, CA 90034		
			Transport temp : Refrig 7 days\Frozen 6 months\Ambient 2 days			
			91545	JO-1		
				NO SEX		
				All Ages :		; Negative
				MALE		
				All Ages :		; Negative
				FEMALE		
				All Ages :		; Negative
			TEST CODE ALWAYS MESSAGE - [Z91545]			
			Z91545			
				Negative	<20 units	
				Weak Positive	20-39 units	
				Moderate Positive	40-80 units	
				Strong Positive	>80 units	

			25430	MI-2		
				NO SEX		
				All Ages :		; Negative
				MALE		
				All Ages :		; Negative
				FEMALE		
				All Ages :		; Negative

MML MML Test setup information

ORDER CODE -----	EFF DATE -----	TC ----	TITLE -----	Checking Normals -----	Print normals (# coded) -----	Perform Site * -----
91545	(continued)					
		25431	PL-7	NO SEX		
				All Ages :	; Negative	
				MALE		
				All Ages :	; Negative	
				FEMALE		
				All Ages :	; Negative	
			- - - - -			
		25432	PL-12	NO SEX		
				All Ages :	; Negative	
				MALE		
				All Ages :	; Negative	
				FEMALE		
				All Ages :	; Negative	
			- - - - -			
		25433	EJ	NO SEX		
				All Ages :	; Negative	
				MALE		
				All Ages :	; Negative	
				FEMALE		
				All Ages :	; Negative	
			- - - - -			
		25434	OJ	NO SEX		
				All Ages :	; Negative	
				MALE		
				All Ages :	; Negative	
				FEMALE		
				All Ages :	; Negative	
			- - - - -			
		25435	SRP	NO SEX		
				All Ages :	; Negative	
				MALE		
				All Ages :	; Negative	
				FEMALE		
				All Ages :	; Negative	
			- - - - -			
		25436	KU	NO SEX		
				All Ages :	; Negative	
				MALE		
				All Ages :	; Negative	
				FEMALE		

```

                All Ages :                ; Negative
                - - - - -
24469  PM/SCL
                NO SEX
                All Ages :                ; Negative

```

```

MML                                MML Test setup information
ORDER  EFF                        TITLE                    Checking Normals          Print normals (# coded)  Perform
CODE   DATE                       -----                    -----                    -----                    Site *
-----

```

91545 (continued)

```

24469  PM/SCL (continued)
                MALE
                All Ages :                ; Negative
                FEMALE
                All Ages :                ; Negative

```

```

25437  U2 SN RNP
                NO SEX
                All Ages :                ; Negative
                MALE
                All Ages :                ; Negative
                FEMALE
                All Ages :                ; Negative

```

```

TEST CODE ALWAYS MESSAGE - [Z24468]
Z24468  This test was developed and its performance characteristics
        validated by RDL Inc. The FDA has determined that approval
        for this test is not necessary. This is an analyte specific
        reagent (ASR) test.

```

```

MML                                Messages used as normals
CODE                                TEXT
-----

```

Total of 0 normals codes

*** End of Report ***