



TEST DEFINITION

1/10/2012

NAME/ORDER CODE CROSS-REFERENCE

CODE	NAME
FAIGA	ANTI-IGA

TEST SETUP INFORMATION

ORDER CODE	RESULT CODE	TITLE	CHECKING NORMALS	PRINT NORMALS	PERFORM SITE *
FAIGA		ANTI-IGA			Y047

TRANSPORT TEMP : REFRIGERATED <14 DAYS\AMBIENT <48 HOURS\FROZEN <365 DAYS

Z2537 ANTI-IGA

UNITS: U/mL
UNKNOWN GENDER
0D TO 150Y : 0-113 <113
MALE
0D TO 150Y : 0-113 <113
FEMALE
0D TO 150Y : 0-113 <113

TEST CODE ALWAYS MESSAGE - [TZ372]

TZ372 PATIENTS WITH IGG ANTIBODIES AGAINST IGA MAY SUFFER FROM ANAPHYLACTOID REACTIONS WHEN GIVEN IVIG THAT CONTAINS SMALL QUANTITIES OF IGA. IN ONE STUDY (CLINICAL IMMUNOLOGY 2007;122:156) FIVE OUT OF EIGHT PATIENTS WITH IGG ANTI-IGA ANTIBODIES DEVELOPED ANAPHYLACTOID REACTIONS WHEN IVIG WAS ADMINISTERED.

THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS DETERMINED BY VIRACOR-IBT LABORATORIES. IT HAS NOT BEEN CLEARED OR APPROVED BY THE FDA.

*PERFORMING SITE LEGEND

=====
Y047 VIRACOR-IBT LABORATORIES
 1001 NW TECHNOLOGY DR
 LEE'S SUMMIT, MO 64086
=====

LAB DIRECTOR:

*** END OF REPORT ***