

Patient Name SAMPLEREP, VOLAS ABNORMAL	Patient ID NA00024825	Age 6	Gender M	Order # NA00024825
Ordering Phys				DOB 05/05/2005
Client Order # NA00024825	Account Information			Report Notes
Collected 03/29/2012 10:24	C7028847-DLMP NEW ENGLAND SDSC 2 - CLIENT SUPPORT			
Printed 09/25/2012 08:24	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Volatile Panel, S				REPORTED 03/29/2012 09:48	
Methanol, S	CH	10	mg/dL		NEL
-- REFERENCE VALUE -- None Detected >=10 (Toxic)					
Ethanol, S	CH	400	mg/dL		NEL
-- REFERENCE VALUE -- None Detected >=400 (Toxic)					
Acetone, S	CH	10	mg/dL		NEL
-- REFERENCE VALUE -- None Detected >=10 (Toxic)					
Isopropanol, S	CH	10	mg/dL		NEL
-- REFERENCE VALUE -- None Detected >=10 (Toxic)					

* Performing Site:

NEL	Mayo Medical Laboratories New England 160 Dascomb Road Andover, MA 01810	Lab Director: Lynn A. Cheryk, Ph.D.
-----	---	-------------------------------------

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,VOLAS ABNORMAL	03/29/2012 10:24	Final
Page 1 of 1	** Reprinted **	** End of Report **

* Report times for Mayo performed tests are CST/CDT