

Reporting Title: Stachybotrys Panel II**Performing Location: VIRACOR-IBT LABORATORIES, INTERFACE****Specimen Requirements:**

Draw blood in a plain red-top tube(s), serum gel tube(s) is acceptable. Spin down and send 0.5 mL of serum refrigerated in a plastic vial.

Specimen Type	Temperature	Time
Serum	Refrigerated (preferred)	28 days
	Frozen	365 days
	Ambient	7 days

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
Z3154	Stachybotrys chartarum/atra IgE	Alphanumeric		In Process
Z3155	Stachybotrys chartarum/atra IgG	Alphanumeric		In Process
Z3156	Stachybotrys chartarum/atra IgA	Alphanumeric		In Process

CPT Code Information:

86001/Allergen specific IgG; quantitative or semiquantitative
86003/Allergen specific IgE; quantitative or semiquantitative
83520/not otherwise specified

Reference Values:

Stachybotrys chartarum/atra IgE: <0.35 kU/L
Stachybotrys chartarum/atra IgG: <20.4 mcg/mL
Stachybotrys chartarum/atra IgA: <1.0 mg/L

Test Performed by: Viracor-IBT Laboratories
1001 NW Technology Dr.
Lee's Summit, MO 64086