

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORTS,LCEBV NORMAL	NA00025157	7	M	NA00025157
Ordering Phys		·		<b>DOB</b> 05/05/2005
Client Order # NA00025157	Account Information	Account Information		Report Notes
<b>Collected</b> 10/10/2012 12:54	C7028847-DLMP New England SDSC 2 - Client Support			
<b>Printed</b> 06/28/2013 09:28	Rochester, MN 55901			

Test Flag Results Unit Value Site\*

Epstein-Barr Virus PCR

**RECEIVED: REPORTED:** 10/10/2012 13:11

Specimen Source CSF NEL Epstein-Barr Virus PCR Negative Negative NEL

Analyte Specific Reagent. This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

## \* Performing Site:

NEL	Mayo Medical Laboratories New England 160 Dascomb Road Andover, MA 01810	Lab Director: Lynn A. Cheryk, Ph.D.

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORTS,LCEBV NORMAL	10/10/2012 12:54	Final
Page 1 of 1	** Reprinted **	** End of Report **