MAYO CLINIC
Mayo Medical Laboratories

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORTS,TVRNA ABNORMAL	NA00026129	23	F	NA00026129
Ordering Phys CLIENT,CLIENT				**DOB** 05/05/1990
Client Order # NA00026129	**Account Information**			**Report Notes**
Collected 09/06/2013 10:09	C7028847-DLMP New England SDSC 2 - Client Support Rochester, MN 55901			
Printed 09/24/2013 10:51				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Trichomonas vaginalis Amplified RNA					
RECEIVED: 09/06/2013 09:14 **REPORTED:** 09/06/2013 09:28					
SOURCE:		CERVIX			NEL
Trichomonas vaginalis amplified RNA	AB	Positive		Negative	NEL

* Performing Site:

NEL	Mayo Medical Laboratories New England 160 Dascomb Road Andover, MA 01810	Lab Director: Lynn A. Cheryk, Ph.D.

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORTS,TVRNA ABNORMAL	09/06/2013 10:09	Final
Page 1 of 1	** Reprinted **	** End of Report **

* Report times for Mayo performed tests are CST/CDT