



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

01/06/2014

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Print normals (# coded)	Perform Site *
800078	11/26/2013		Toxoplasma Ab, IgM, S			MCF
			Transport temp : Refrig 14 days\Frozen 14 days OK\Ambient NO			
			Worklist : JC/TOXOM			
800078			Toxoplasma Ab, IgM, S			
			NO SEX			
			All Ages :		; Negative	
			MALE			
			All Ages :		; Negative	
			FEMALE			
			All Ages :		; Negative	
801549			Toxoplasma IgM Value			
			Units: threshold			
			NO SEX			
			All Ages :		; #N801549	
			MALE			
			All Ages :		; #N801549	
			FEMALE			
			All Ages :		; #N801549	

*Performing Site Legend

```

=====
==
MCF      Mayo Clinic Jacksonville Clinical Lab      LAB DIRECTOR:  Gretchen Johns, M.D.
          4500 San Pablo Rd
          Jacksonville, FL 32224
=====
==

```

*** End of Report ***

CODE	TEXT
N801549	<0.55 (Negative)

0.55 to <0.65 (Equivocal)
>=0.65 (Positive)

Total of 1 normals codes

*** End of Report ***