

Patient Name SAMPLEREPORTS,CLFA A	Patient ID NA00026459	Age 23	Gender M	Order # NA00026459
Ordering Phys CLIENT,CLIENT				DOB 05/05/1990
Client Order # NA00026459	Account Information			Report Notes
Collected 03/28/2014 10:28	C7028847-DLMP New England SDSC 2 - Client Support Rochester, MN 55901			
Printed 03/28/2014 14:06				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Cryptococcus Ag Screen w/Titer, CSF	AB	Positive		Negative	NEL
RECEIVED: 03/28/2014 09:30 REPORTED: 03/28/2014 09:33 Reflex testing has been ordered to establish a cryptococcal antigen titer.					

Cryptococcus Ag Titer, LFA, CSF	C	1:5		Negative	NEL
RECEIVED: 03/28/2014 09:30 REPORTED: 03/28/2014 11:43 CRITICAL RESULT The cryptococcal antigen detection method was changed from a latex agglutination (LA) test to a lateral flow immunoassay (LFA) test in May, 2014. End point titers are not interchangeable and do not correlate between the two methods. Providers should transition to monitoring end-point titers by the LFA method. End-point titer values by the LA method will be reported alongside the LFA titer result for comparison until August, 2014, at no charge. After this date, only the LFA titer will be performed.					

Latex Agglutination Titer: 1:2

* Performing Site:

NEL	Mayo Medical Laboratories New England 160 Dascomb Road Andover, MA 01810	Lab Director: Lynn A. Cheryk, Ph.D.
-----	---	-------------------------------------

Patient Name SAMPLEREPORTS,CLFA A	Collection Date and Time 03/28/2014 10:28	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT