

Reporting Title: Histoplasma/Blastomyces Panel, S
Performing Location: Rochester

Specimen Requirements:

Container/Tube:
Preferred: Red top
Acceptable: Serum gel
Specimen Volume: 1.5 mL

Specimen Type	Temperature	Time
Serum	Refrigerated (preferred)	14 days
	Frozen	14 days

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
HISTO	Histoplasma Ab Screen, S Also used by tests: HISTO	Alphanumeric		44522-1
BLAST	Blastomyces Ab, EIA, S	Alphanumeric		In Process

Components:

Test ID	Reporting Name	CPT Units	CPT Code	Always Performed	Orderable Separately
HISTO	Histoplasma Ab Screen, S	1	86698	Yes	Yes
BLAST	Blastomyces Ab, EIA, S			Yes	Yes

Result Codes for Reflex Tests:

Test ID	Result ID	Reporting Name	Type	Unit	LOINC®
SHSTO	15121	Histoplasma Mycelial	Alphanumeric		20573-2
SHSTO	15122	Histoplasma Yeast	Alphanumeric		20574-0
SHSTO	15123	Histoplasma Immunodiffusion	Alphanumeric		5218-3

Reference Values:

Histoplasma ANTIBODY SCREEN
Negative

Blastomyces ANTIBODY, EIA
Negative