



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

6/15/2009

MML NAME/ORDER CODE CROSS-REFERENCE
 CODE NAME

 8482 FIBROBLAST CULTURE

MML MML TEST SETUP INFORMATION

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PRINT NORMALS (# CODED)	PERFORM SITE *
8482	1/31/2002		FIBROBLAST CULTURE			MCR
			TRANSPORT TEMP : REFRIG\AMBIENT OK\FROZEN NO			
			8482 FIBROBLAST CULTURE			
			POSSIBLE RESULT VALUES INCLUDE : CELLS IN CULTURE , RESULTS TO FOLLOW.			
			NO SEX			
			ALL AGES :		; NOT APPLICABLE	
			MALE			
			ALL AGES :		; NOT APPLICABLE	
			FEMALE			
			ALL AGES :		; NOT APPLICABLE	

*PERFORMING SITE LEGEND

=====

MCR	MAYO CLINIC DPT OF LAB MED & PATHOLOGY	LAB DIRECTOR:	FRANKLIN R. COCKERILL, III, M.D.
	200 FIRST STREET SW		
	ROCHESTER, MN 55905		

=====

MML MESSAGES USED AS NORMALS
 CODE TEXT

TOTAL OF 0 NORMALS CODES

*** END OF REPORT ***