



MAYO CLINIC
 Mayo Medical Laboratories

TEST DEFINITION

3/26/2009

MML NAME/ORDER CODE CROSS-REFERENCE
 CODE NAME

 81596 GAD65 AB ASSAY, S

MML MML TEST SETUP INFORMATION

ORDER CODE	EFF DATE	TC	TITLE	CHECKING NORMALS	PRINT NORMALS (# CODED)	PERFORM SITE *
81596	9/16/2003		GAD65 AB ASSAY, S			MCR
			TRANSPORT TEMP : REFRIG\AMBIENT OK\FROZEN OK			
			81596 GAD65 AB ASSAY, S			
			EXPECT RESULTS OF FORM : SHOULD BE 1 TO 4 NUMBERS WITH OR WITHOUT 1 OR 2 DECIMAL PLACES			
			UNITS: NMOL/L			
			NO SEX			
			ALL AGES : 0-0.02		; <= 0.02	
			MALE			
			ALL AGES : 0-0.02		; <= 0.02	
			FEMALE			
			ALL AGES : 0-0.02		; <= 0.02	

*PERFORMING SITE LEGEND

=====

MCR	MAYO CLINIC DPT OF LAB MED & PATHOLOGY	LAB DIRECTOR:	FRANKLIN R. COCKERILL, III, M.D.
	200 FIRST STREET SW		
	ROCHESTER, MN 55905		

=====

MML MESSAGES USED AS NORMALS
 CODE TEXT

TOTAL OF 0 NORMALS CODES

*** END OF REPORT ***