

1-800-533-1710

PATIENT NAME TESTING, 91379		PATIENT NUMBER L3MRNW4072282		AGE 40	SEX F	ACCESSION # W4072282
ORDERING PHYSICIAN		CLIENT ORDER #			ACCOUNT # LIAISONS	
COLLECTION 04/14/11 02:21 P	RECEIVED 04/14/11 02:21 P	REPORT PRINTED 04/14/11 02:38 P		SPECIMEN INFORMATION DATE OF BIRTH:		
DATE TIME	DATE TIME	DATE TIME				
Test Client Attn: Mayo Liaisons 200 First Street SW Rochester, MN 55905 507-284-8202						

HI	LO	REF RANGE	PERFORM SITE *
TEST REQUESTED			

Niacin (Nicotinic Acid)
REPORTED: 04/14/11 02:21 P

Niacin	0.80	ug/mL	REF
--------	------	-------	-----

Adult Reference Range:

> or = 10 years

Normal 0.50 - 8.45

Low < 0.50

High > 8.45

Pediatric Reference Range:

<10 years

Normal 0.50 - 8.91

Low < 0.50

High > 8.91

The performance characteristics of the listed assay was validated by Cambridge Biomedical Inc. The US FDA has not approved or cleared this test. The results of this assay can be used for clinical diagnosis without FDA approval. Cambridge Biomedical Inc. is a CLIA certified, CAP accredited laboratory for performing high complexity assays such as this one.

Test Performed by: Cambridge Biomedical Inc.
 1320 Soldiers Field Road
 Boston, MA 02135

* PERFORMING SITE

PATIENT NAME TESTING, 91379	ORDER STATUS Final	COLLECTION DATE AND TIME 04/14/11 02:21 P
---------------------------------------	------------------------------	---