



Breast Carcinoma-Associated Antigen (CA 27.29), Serum

Patient ID <b>SA00047214</b>	Patient Name <b>SAMPLEREPORT, C2729</b>	Birth Date <b>1966-06-10</b>	Gender <b>F</b>	Age <b>46</b>
Order Number <b>SA00047214</b>	Client Order Number <b>SA00047214</b>	Ordering Physician <b>Client, Client</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>19 Jun 2012 00:00</b>		

**Breast Carcinoma Assoc Ag(CA 27.29)**



**100 U/mL**

High

MCR

Reference Value  
≤38.0

**ADDITIONAL INFORMATION**


The testing method is a chemiluminometric immunoassay manufactured by Siemens and performed on the Siemen's Advia Centaur.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

**Received:** 20 Jun 2012 13:53

**Reported:** 20 Jun 2012 13:54



**Performing Site Legend**

Code	Laboratory	Address
MCR	Mayo Clinic Dept. of Lab Med and Pathology	200 First Street SW, Rochester, MN 55905