



Calcitonin, Fine-Needle Aspiration Biopsy  
(FNAB)-Needle Wash, Lymph Node

Patient ID <b>SA00048209</b>	Patient Name <b>TESTINGRNV, CATLN</b>	Birth Date <b>1966-06-10</b>	Gender <b>M</b>	Age <b>46</b>
Order Number <b>SA00048209</b>	Client Order Number <b>SA00048209</b>	Ordering Physician <b>Client, Client</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>01 Aug 2012 10:00</b>		

**Calcitonin, FNAB, Lymph Node**

SDL

**<5.0 pg/mL**

Calcitonin values <5.0 pg/mL suggest the lymph node does not contain medullary thyroid carcinoma. This result is dependent on accurate sampling and a total needle wash volume of ≤1.5 mL. This test should be interpreted in the context of the clinical presentation, imaging and cytology findings. If the results are discordant with the clinical presentation, a sampling error at the time of biopsy should be considered.

**ADDITIONAL INFORMATION**

The testing method is an immunoenzymatic assay manufactured by Siemens and performed on the Immulite 2000.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

**Received:** 02 Aug 2012 11:19

**Reported:** 02 Aug 2012 11:20

**Performing Site Legend**

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901