



Patient ID SA00008433	Patient Name SAMPLE_REPORT, CRYPU_ABNORMAL	Birth Date 1978-11-11	Gender M	Age 37
Order Number SA00008433	Client Order Number SA00008433	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 10 May 2016 00:00		

Cryptococcus Ag, Urine



1:8

Abn

SEMI-URGENT RESULT

Detection of cryptococcal antigen in this sample type may be consistent with active or recently treated cryptococcal disease. To confirm a diagnosis of cryptococcosis, routine fungal culture is recommended (Unit Code 84389). To monitor response to therapy, it is recommended to follow cryptococcal antigen titers using serum samples (Unit Code 86167).

1 SDL

Reference Value
Negative

Received: 11 May 2016 15:36

Reported: 11 May 2016 15:50

QA Environment

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901