

Patient ID SA00048848	Patient Name SAMPLEREPORT, FFTHO POSITIVE	Birth Date 1970-11-09	Gender M	Age 41
Order Number SA00048848	Client Order Number SA00048848	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 04 Sep 2012 13:00		

Thiosulfate, U

Creatinine

Y082

150.0 mg/L

ADDITIONAL INFORMATION

U.S. Population (10th-90th percentiles, median)
 All participants:
 335–2370 mg/L, median: 1180 (n=22,245)
 Males: 495–2540 mg/L, median: 1370 (n=10,610)
 Females: 273–2170 mg/L, median 994(n=11,635)

Reporting Limit

Y082

100 mg/L

Thiosulfate

Y082

5.0 mcg/mL

ADDITIONAL INFORMATION

Normal range:
 approximately 2.9±2.5 mcg/mL (based on
 an average creatinine concentration of 1 g/L).

Reporting Limit

Y082

1.0 mcg/mL

Thiosulfate (Creatinine corrected)

Y082

33 mg/g creat

ADDITIONAL INFORMATION

Thiosulfate was detected in urine from 29 controls
 at 2.9±2.5 mg/g creatinine.
 Exposure to 1240 nmol/L (30 ppm) for 45 minutes
 resulted in a urinary thiosulfate concentration of
 60 mg/g creatinine.

Reporting Limit

Y082

6.6 mg/g creat

Specific Gravity Confirmation

Y082

0.000

ADDITIONAL INFORMATION

Physiologic range: 1.010–1.030

Received: 05 Sep 2012 14:03
Reported: 05 Sep 2012 14:05

Performing Site Legend

Code	Laboratory	Address
Y082	NMS Labs	3701 Welsh Road PO Box 433A Willow Grove, PA 19090-0437