

| | | | | |
|---|--|------------------|--------------------|------------------------------|
| Patient Name SAMPLEREP,CDNA A | Patient ID SA00046326 | Age 40 | Gender F | Order # SA00046326 |
| Ordering Phys | | | | DOB 09/28/1971 |
| Client Order # SA00046326 | Account Information | | | Report Notes |
| Collected 06/06/2012 09:27 | C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901 | | | |
| Printed 10/15/2012 14:13 | | | | |

| Test | Flag | Results | Unit | Reference Value | Perform Site* |
|--|------|------------|---------------------------|-----------------|---------------|
| Chlamydia trachomatis Amplified DNA | | | REPORTED 10/15/2012 13:23 | | |
| Chlamydia Source | | ENDOCERVIX | | | MCR |
| Chlamydia trachomatis Amplified DNA | | Positive | | Negative | MCR |

* Performing Site:

| | | |
|-----|---|--|
| MCR | Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905 | Lab Director: Franklin R. Cockerill, III, M.D. |
|-----|---|--|

| | | |
|---|---|-------------------------------|
| Patient Name SAMPLEREP,CDNA A | Collection Date and Time 06/06/2012 09:27 | Report Status Final |
| Page 1 of 1 | | ** End of Report ** |

* Report times for Mayo performed tests are CST/CDT