

Patient ID SA00049852	Patient Name TESTINGRNV, SAMPLEREPORTS	Birth Date 1980-01-01	Gender M	Age 32
Order Number SA00049852	Client Order Number SA00049852	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 16 Oct 2012 00:00		

Chlamydia Serology, S

C. pneumoniae IgG

<1:64 titer

SDL
Reference Value
<1:64

C. trachomatis IgM

<1:10 titer

SDL
Reference Value
<1:10

C. pneumoniae IgM

<1:10 titer

SDL
Reference Value
<1:10

C. psittaci IgG

<1:64 titer

SDL
Reference Value
<1:64

C. trachomatis IgG

<1:64 titer

SDL
Reference Value
<1:64

C. psittaci IgM

<1:10 titer

1 SDL
Reference Value
<1:10

Received: 17 Oct 2012 08:38

Reported: 17 Oct 2012 08:41

Laboratory Notes

- 1** Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901