

<b>Patient Name</b> SAMPLE,REPORT	<b>Patient ID</b> SA00050176	<b>Age</b> 46	<b>Gender</b> F	<b>Order #</b> SA00050176
<b>Ordering Phys</b>				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00050176	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 10/30/2012	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
<b>Printed</b> 10/31/2012 15:35				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Inhibin A and B, Tumor Marker, S</b>				REPORTED 10/31/2012 15:09	
Inhibin A, Tumor Marker, S		50	pg/mL		SDL
-- REFERENCE VALUE -- <97.5 (Premenopausal) <2.1 (Postmenopausal)					

The testing method is an immunoenzymatic assay manufactured by Beckman Coulter Inc. and performed on the UniCel DxI 800. Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Inhibin A values are not interpretable in pregnant females for the investigation of malignant disease.

Inhibin B, S		100	pg/mL		MCR
-- REFERENCE VALUE -- <139 (Premenopausal, Follicular) <92 (Premenopausal, Luteal) <10 (Postmenopausal)					

The testing method is a manual immunoenzymatic assay manufactured by Beckman Coulter Inc. Values obtained with different assay methods or kits may be different and cannot be used interchangeably. If this test is being ordered as a tumor marker, results cannot be interpreted as absolute evidence for the presence or absence of malignant disease. For research use only.

\* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:

Patient Name	Collection Date and Time	Report Status
SAMPLE,REPORT	10/30/2012	Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT