

<b>Patient Name</b> SAMPLEREP, RHIV A	<b>Patient ID</b> SA00046041	<b>Age</b> 40	<b>Gender</b> F	<b>Order #</b> SA00046041
<b>Ordering Phys</b>				<b>DOB</b> 09/28/1971
<b>Client Order #</b> SA00046041	<b>Account Information</b> C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER, MN 55901			<b>Report Notes</b>
<b>Collected</b> 09/25/2012 14:37				
<b>Printed</b> 11/05/2012 15:08				

Test	Flag Results	Unit	Reference Value	Perform Site*
<b>HIV-2 Ab Eval, S</b>	Negative	REPORTED 09/25/2012 14:43	Negative	SDL
Testing is performed using the Bio-Rad GS HIV-2 antibody enzyme immunoassay.				
<b>HIV 2 Antibody, IBL</b>		REPORTED 09/27/2012 15:10		
HIV 2 Ab, Immunoblot	NEGATIVE			Y03 8
A Negative HIV-2 antibody Immunoblot result does not exclude HIV-2 infection since the time frame for seroconversion is variable. If acute HIV-2 infection is suspected, suggest testing a new plasma sample by an amplified nucleic acid test (HIV-2 DNA/RNA, unit code 49000). Testing for HIV-1 should also be considered.				
Reference range: NEGATIVE				
This test was performed using a kit that has not been cleared or approved by the FDA. The analytical performance characteristics of this test have been determined by Focus Diagnostics. This test should not be used for diagnosis without confirmation by other medically established means.				
<b>HIV-1 Ab Confirm by IFA, S</b>	Negative	REPORTED 09/25/2012 14:42	Negative	SDL
Repeat testing is recommended in 1 to 2 months for those at risk for HIV infection.				
<b>HIV Ab Rapid Test Confirm Prof, S</b>		REPORTED 09/25/2012 14:42		
HIV-1/-2 Ab Screen, S				
HIV-1/-2 Ab Evaluation, S	AB Reactive		Negative	SDL
Not diagnostic. Western blot confirmatory testing ordered.				
HIV-1/-2 Ab Confirm Eval, S				
HIV-1 Ab Confirm Western Blot, S	AB Positive		Negative	SDL
REPORTABLE DISEASE. A positive result is based on the presence of at least two of the following three bands: p24, gp41, and gp120/gp160. The U.S. Association of Public Health Laboratories recommends verification of first-time positive test results for the diagnosis of HIV infection. A second specimen should be submitted for testing to verify all such positive results.				

\*\*\*Performing Site Legend on Last Page of Report\*\*\*

<b>Patient Name</b> SAMPLEREP, RHIV A	<b>Collection Date and Time</b> 09/25/2012 14:37	<b>Report Status</b> Final
Page 1 of 2		>> Continued on Next Page >>

\* Report times for Mayo performed tests are CST/CDT

<b>Patient Name</b> SAMPLEREPORT,RHIV A	<b>Patient ID</b> SA00046041	<b>Age</b> 40	<b>Gender</b> F	<b>Order #</b> SA00046041
<b>Ordering Phys</b>				<b>DOB</b> 09/28/1971
<b>Client Order #</b> SA00046041	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 09/25/2012 14:37	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
<b>Printed</b> 11/05/2012 15:08				

Test	Flag	Results	Unit	Reference Value	Perform Site*
------	------	---------	------	-----------------	---------------

>> Accession SA00046041 - Continued From Previous Page <<  
 >> Do Not Discard <<

\* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.
Y038	Focus Diagnostics, Inc. 5785 Corporate Avenue Cypress, CA 90630-4750	Lab Director:

<b>Patient Name</b> SAMPLEREPORT,RHIV A	<b>Collection Date and Time</b> 09/25/2012 14:37	<b>Report Status</b> Final
Page 2 of 2		** End of Report **

\* Report times for Mayo performed tests are CST/CDT