

Patient Name SAMPLEREP,PHIV A	Patient ID SA00052566	Age 46	Gender F	Order # SA00052566
Ordering Phys CLIENT,CLIENT				DOB 06/10/1966
Client Order # SA00052566	Account Information			Report Notes
Collected 01/07/2013	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 01/08/2013 14:12				

Test	Flag Results	Unit	Reference Value	Perform Site*
HIV-1 Proviral DNA, B	AB Positive		REPORTED 01/08/2013 14:05 Negative	SDL
<p>According to CDC and USPHS recommendations, a positive result in a second specimen is necessary to confirm the diagnosis of HIV-1 infection.</p> <p>Testing was done by PCR method using the Amplicor HIV-1 DNA Test.</p> <p>For research use only.</p>				

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

Patient Name SAMPLEREP,PHIV A	Collection Date and Time 01/07/2013	Report Status Final
Page 1 of 1	** Reprinted **	** End of Report **

* Report times for Mayo performed tests are CST/CDT