

Patient Name TESTINGRNV,WBARTED	Patient ID SA00053070	Age 23	Gender M	Order # SA00053070
Ordering Phys CLIENT,CLIENT				DOB 01/16/1990
Client Order # SA00053070	Account Information			Report Notes
Collected 01/24/2013	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 01/30/2013 10:55				

Test	Flag	Results	Unit	Reference Value	Perform Site*
HIV-2 Ab Eval, S	AB	Reactive	REPORTED 01/25/2013 14:42	Negative	SDL
Confirmatory HIV-2 antibody immunoblot test is ordered. Confirmatory test is the definitive test for HIV-2 infection. Testing is performed using the Bio-Rad GS HIV-2 antibody enzyme immunoassay.					
HIV-2 Ab Confirmation, S	AB	Positive	REPORTED 01/25/2013 14:45	Negative	SDL
Bands detected: p24, gp36 The U.S. Association of Public Health Laboratories recommends verification of first-time positive test results for the diagnosis of HIV infection. A second specimen should be submitted for testing to verify this positive test result. For research use only.					
HIV-1/-2 Ab Confirm Eval, S		Negative	REPORTED 01/25/2013 14:40	Negative	SDL
HIV-1 Ab Confirm Western Blot, S No bands detected. If acute HIV infection is suspected in a high-risk individual, HIV-1 and/or HIV-2 nucleic acid test is recommended, and a plasma specimen needs to be collected and submitted for testing.					

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.
-----	---	--

Patient Name TESTINGRNV,WBARTED	Collection Date and Time 01/24/2013	Report Status Final
Page 1 of 1	** Reprinted **	** End of Report **

* Report times for Mayo performed tests are CST/CDT