


Patient ID SA00053938	Patient Name SAMPLEREP, FHPP2	Birth Date 1966-05-25	Gender M	Age 46
Order Number SA00053938	Client Order Number SA00053938	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 17 Feb 2013 00:00		


Hypersensitivity Pneumonitis Panel

Alternaria tenuis/alternata IgG

 **55 mcg/mL**
High


Y165
Reference Value
<12

Phoma betae IgG

 **45 mcg/mL**
High


Y165
Reference Value
<8

Aspergillus fumigatus IgG

 **54 mcg/mL**
High


Y165
Reference Value
<46

Thermoactinomyces vulgaris IgG

 **17 mcg/mL**
High


Y165
Reference Value
<13

Aureobasidium pullulans IgG

 **19 mcg/mL**
High


Y165
Reference Value
<18

Trichoderma viride IgG

 **25 mcg/mL**
High

Y165
Reference Value
<10

Micropolyspora faeni IgG

 **41 mcg/mL**
High


Y165
Reference Value
<5

* This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

Received: 18 Feb 2013 12:22

Reported: 21 Feb 2013 11:04

Penicillium Chrysogenum IgG

 **53 mcg/mL**
High

Y165
Reference Value
<22

Performing Site Legend

Code	Laboratory	Address
Y165	Viracor-IBT Laboratories	1001 NW Technology Dr, Lee's Summit, MO 64086