

Patient Name TESTING,NANCY	Patient ID C7028846-001825	Age 28	Gender F	Order # R1057098
Ordering Phys TEST,DOCTOR				DOB 08/01/1984
Client Order # R1057098	Account Information		Report Notes	
Collected 03/11/2013 15:50	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 03/19/2013 10:34				

Test	Flag Results	Unit	Reference Value	Perform Site*
Phys Interp of ThinPrep, PAP	Performed		REPORTED 03/15/2013 08:25	MCR
ThinPrep Screen with HPV Reflex			REPORTED 03/15/2013 08:25	MCR
Accession Number	PR13-11			MCR
Final Diagnosis				MCR
A. ThinPrep Pap Test Screen (Cervical/Endocervical HPV Reflex):				
Satisfactory for evaluation.				
Squamous epithelial cell abnormality				
Atypical squamous cells of undetermined significance.				
HPV testing was performed by Digene Hybrid Capture II and is				
positive for one or more of HPV types				
16,18,31,33,35,39,45,51,52,56,58,59 and 68.				
These high/intermediate risk HPV types are associated with				
dysplasia and some cervical cancers.				
Cytotechnologist				MCR
Cytotech X. Test, CT(ASCP)				
Signing Pathologist	See Below			MCR
Result: 3/15/2013 08:24 Interpreted by: Pathologist X. Test, M.D.				
Report electronically signed by Angie S. Beckel				
Transcribed by: vxs 3/14/2013 15:55:33				
Specimen Description:				MCR
A. ThinPrep Pap Test Screen (Cervical/Endocervical HPV Reflex):				
Received clear specimen in ThinPrep vial.				

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.
-----	-----------------------------------------------------------------------------------------	------------------------------------------------

Patient Name TESTING,NANCY	Collection Date and Time 03/11/2013 15:50	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT