




| | | | | |
|---|--|---|--------------------|------------------|
| Patient ID SA00055029 | Patient Name SAMPLEREPORT, CEA A | Birth Date 1966-06-10 | Gender F | Age 46 |
| Order Number SA00055029 | Client Order Number SA00055029 | Ordering Physician Client, Client | Report Notes | |
| Account Information C7028846 DLMP Rochester | | Collected 12 Mar 2013 00:00 | | |

Carcinoembryonic Ag (CEA), S

SDL

 **239.0 ng/mL**

High

REFERENCE VALUE

≤3.0 (Non-smokers)
Some smokers may have elevated
CEA, usually <5.0.

ADDITIONAL INFORMATION

The testing method is an immunoenzymatic assay
manufactured by Beckman Coulter Inc. and performed
on the UniCel Dxl 800.

Values obtained with different assay methods or kits
may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute
evidence for the presence or absence of malignant
disease.

Received: 17 Apr 2013 11:38

Reported: 17 Apr 2013 11:38

Performing Site Legend

| Code | Laboratory | Address |
|------|---|--|
| SDL | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55901 |