



Patient ID SA00056369	Patient Name SAMPLEREPORT, FBLGG ABNORMAL	Birth Date 1956-05-16	Gender M	Age 56
Order Number SA00056369	Client Order Number SA00056369	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 03 Apr 2013 00:00		

Beta Lactoglobulin IgG



6.0 mcg/mL

Y165


Reference Value
<2

patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. * This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in

Received: 04 Apr 2013 14:25

Reported: 05 Apr 2013 13:29



Performing Site Legend

Code	Laboratory	Address
Y165	Viracor-IBT Laboratories	1001 NW Technology Dr, Lee's Summit, MO 64086