



|   |   |   |                    |                  |
|---|---|---|--------------------|------------------|
| Patient ID<br><b>SA00057706</b>                       | Patient Name<br><b>SAMPLEREPORT, DFIR A</b> | Birth Date<br><b>1966-06-10</b>             | Gender<br><b>F</b> | Age<br><b>46</b> |
| Order Number<br><b>SA00057706</b>                     | Client Order Number<br><b>SA00057706</b>    | Ordering Physician<br><b>Client, Client</b> | Report Notes       |                  |
| Account Information<br><b>C7028846 DLMP Rochester</b> |   | Collected<br><b>22 May 2013 00:00</b>       |                    |                  |

**Douglas Fir, IgE**

1 SDL

≥100 kU/L

Class 6 (Strongly Positive ≥100)

**Received:** 23 May 2013 09:56

**Reported:** 23 May 2013 09:57

QA Environment

**Laboratory Notes**

- 1 Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

**Performing Site Legend**

| Code | Laboratory  | Address                                    |
|------|---|--|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55901 |