

<b>Patient Name</b> SAMPLEREPORT,MNCRU	<b>Patient ID</b> SA00055894	<b>Age</b> 46	<b>Gender</b> F	<b>Order #</b> SA00055894
<b>Ordering Phys</b> UNKNOWN,PROVIDER				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00055894	<b>Account Information</b>		<b>Report Notes</b>	
<b>Collected</b> 03/15/2013 02:10	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
<b>Printed</b> 06/19/2013 10:45				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Manganese/Creat Ratio, Random, U</b>					
RECEIVED: 03/15/2013 02:10 REPORTED: 06/19/2013 10:17					
Manganese/Creat Ratio, U		See Below	mcg/g	0.1-1.3	SDL
Result:Low Creatinine: See Concentration Result					
Mn Concentration	H	1600.0	mcg/L	0.1-0.9	SDL
Creatinine Conc		<2	mg/dL		MCR
REVISED RESULTS					
REVISED REPORT, Previously reported as: 1 (Reported 06/19/2013 10:15)					

## \* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:

<b>Patient Name</b> SAMPLEREPORT,MNCRU	<b>Collection Date and Time</b> 03/15/2013 02:10	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT