

Patient Name SAMPLEREP,UMIC A	Patient ID SA00059551	Age 47	Gender F	Order # SA00059551
Ordering Phys CLIENT,CLIENT				DOB 06/10/1966
Client Order # SA00059551	Account Information			Report Notes
Collected 06/27/2013 00:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 07/02/2013 09:35				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Microscopic Manual					
RECEIVED: 06/28/2013 16:45 REPORTED: 07/02/2013 09:23					
Microscopy		Abnormal			MCR
RBC	AB	21-30	/hpf	<3	MCR
Dysmorphic RBC	AB	>25	%	<25	MCR
WBC	AB	11-20	/hpf		MCR
-- REFERENCE VALUE --					
1-3 (Males)					
1-10 (Females)					
Casts, Hyaline		11-20	/lpf		MCR
Casts, Granular	AB	Occas	/lpf		MCR
Casts, Hemoglobin	AB	Occas	/lpf		MCR
Casts, RBC	AB	Occas	/lpf		MCR
Bacteria	AB	Present			MCR
Yeast	AB	Present			MCR

Urinalysis, Microscop,Osmolality,pH

RECEIVED: 06/28/2013 16:45 REPORTED: 07/01/2013 15:12					
Source		Catheter			MCR
Appearance	AB	Red		Normal	MCR
Osmolality, U		800	mOsm/kg	150 - 1150	MCR
pH, U		7.5		4.5 - 8.0	MCR
Hemoglobin, QL	AB	Large		Negative	MCR
Reducing Substance, U				Negative	MCR
Test cancelled. Testing is not required.					

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

Patient Name SAMPLEREP,UMIC A	Collection Date and Time 06/27/2013 00:00	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT