

Patient Name SAMPLEREPORT,HCPCR	Patient ID SA00059877	Age 47	Gender F	Order # SA00059877
Ordering Phys CLIENT,CLIENT				DOB 06/10/1966
Client Order # SA00059877	Account Information			Report Notes
Collected 07/11/2013 00:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
Printed 07/12/2013 14:35				

Test	Flag	Results	Unit	Reference Value	Perform Site*
HCV Ab Scrn w/Reflex to HCV PCR, S					
RECEIVED: 07/12/2013 14:20 REPORTED: 07/12/2013 14:20					
HCV Ab Screen, S	AB	Reactive		Negative	SDL
Supplemental testing for HCV RNA is ordered to rule out active HCV infection. Signal-to-cutoff ratio is >=8.00.					
HCV RNA Detect/Quant, S					
	AB	17700000	IU/mL	Undetected	SDL
RECEIVED: 07/12/2013 14:20 REPORTED: 07/12/2013 14:21					
Result in log IU/mL is 7.25. The quantification range of this assay is 43 IU/mL to 69,000,000 IU/mL (1.63 log IU/mL to 7.84 log IU/mL). Testing was performed by the COBAS AmpliPrep/COBAS TaqMan HCV Test (Roche Molecular Systems, Inc.).					

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

Patient Name SAMPLEREPORT,HCPCR	Collection Date and Time 07/11/2013 00:00	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT